



**Vitrifrigo**  
AMERICA

Available through:



**Coastal Climate Control, Inc.**

**Single-Door Refrigerator**

Replacements for Norcold, Nova Kool, Tundra, and other single-door models



**C115i - Black Finish**  
**C115iX - Stainless Steel Finish**  
12/24v DC (AC/DC optional)  
Refrigerator with freezer compartment  
**Internal compressor**

**C115iRE - Black Finish**  
**C115iREX - Stainless Steel**  
12/24v DC (AC/DC optional)  
**All refrigerator**  
**Internal compressor**

**C130L- Black Finish**  
**C130LX - Stainless Steel**  
12/24v DC (AC/DC optional)  
Refrigerator with freezer  
compartment  
**External compressor**

**Specifications**

		<u>C115i/iX</u>	<u>C115iRE/REX</u>	<u>C130L/LX</u>
<b>Volume</b>	Total (Cu Ft)	4.2	4.2	4.7
	Freezer only	0.6	n/a	0.6
<b>Freezer</b> internal size	Height (Inches)	4.7	n/a	4.7
	Width (Inches)	16.5	n/s	16.5
	Depth (Inches)	13.4	n/a	13.4
<b>Weight</b>	Lbs	63.5/66.1	63.5/66.1	64
<b>Technical</b> <b>features (DC)</b>	Power Voltage (V)	12/24v DC	12/24v DC	12/24v DC
	Rated current (A)	2.8/1.4	2.8/1.4	3.2/1.6
	Nominal input (W)	29.03	29.03	41.74
	Absorption power (kW 24h )	0.36	0.36	0.47
<b>Compressor</b>	Internal cooling unit	standard	standard	n/a
	External cooling unit	n/a	n/a	standard
<b>Technical</b> <b>features (AC)</b> (Optional)	Power Voltage (V)	115/230-60/50 Hz	115/230-60/50 Hz	115/230-60/50 Hz
	Rated current (A)	0.28/0.13	0.28/0.13	0.4/0.18
	Nominal input (W)	30.48	30.48	43.8
	Absorption power (kW 24h )	0.37	0.37	0.49
<b>Standard</b>	Interchangeable door	standard	standard	standard
	Magnetic closure	standard	standard	standard
	Internal light	standard	standard	standard
<b>Door finish</b>	Black vinyl or Stainless steel	standard	standard	standard
<b>Opening type</b>	Front opening	standard	standard	standard
<b>Mounting options</b>	Flush flange	standard	standard	standard
	Bottom trim piece	optional	optional	optional


Dimensional data over:






### C115i

internal compressor



### C130L

external compressor



Compare different brands here:

<u>Make and Model</u>	<u>Height</u>	<u>Width</u>	<u>Volume</u>
Norcold DE704	32-7/8"	21-3/4"	
Norcold DE490	30-7/8"	20-1/2"	3.1 cu ft
Tundra TJ42	30-5/8"	21-3/8"	4.2 cu ft
Nova Kool R45704	32-7/8"	22-0"	4.3 cu ft
Waeco RSD115	29.12"	20.5"	3.94 cu ft
Waeco RPD110	29.12"	20.5"	3.8 cu ft
Isotherm C130	29.33"	20.75"	4.6 cu ft
<b>Vitrifrigo C115i</b>	<b>30.4"</b>	<b>21.3"</b>	<b>4.2 cu ft</b>

Note - Height and Width are cut-out dimensions

These and other Vitrifrigo models available from:



**Coastal Climate Control, Inc.**

4831 Telsa Drive - Suite H, Bowie MD 20715

Ph. 301-352-5738

info@coastalclimatecontrol.com

www.coastalclimatecontrol.com

www.vfamerica.com